



The economical, entry-level cart that slashes wasted motion and pays for itself in no time

The entry-level EcoCart mobile powered workstation is designed to provide true mobility within a facility, while eliminating unnecessary movement, touches and transportation wastes. This can result in improved dock to stock cycle times in receiving and on-time shipments in your shipping areas.

This lightweight, compact unit is ideal for powering a laptop, barcode printer and scanner for 8+ hours at time.

Outstanding benefits

- > Reduce labor by as much as \$10K per worker
- Increase receipts by as much as 60%
- > Reduce improperly labeled products
- > Reduce inaccurate inventories
- > Process goods directly at the pallet or on the dock
- > See your ROI in less than three months

Newcastle EC Series Powered Industrial Carts





EC Series with PowerSwap Nucleus° MINI power system (includes stand-alone charging station)



EC Series with SLA power system



Simply swap with a fully charged pack in seconds



Easily integrate a wide variety of accessories



Optional slide-out printer tray



Easy-access power strip (for SLA & fixed lithium versions)

Height Adjustable:

Shelf:

Capacity:

Casters:

Color & Construction:

Model Configurations:

Typical Devices
Powered for 8 Hour Shift:

Battery Type:

Continuous Output Power (W):

Surge Power:

Battery Bank (Wh):

Charge Time (Hrs):

Operating Temp (F):

Weight:

Dimensions:

Middle shelf adjustable from 20-32" (508-813 mm)

(1 standard top shelf) 21.75" wide x 20" deep metal (552 x 508 mm) (optional middle shelf) 20" wide x 20" deep metal (508 x 508 mm)

60 lbs (27 kg) per shelf evenly distributed

5 x 2" (127 x 51 mm) rubber wheels, front fixed, rear locking swivel

Black powder coat & steel

EC102NU2M	EC350	EC380	EC380-LI
Laptop or small thermal printer & scanner	Laptop/thin client, small thermal printer & scan- ner	Laptop/thin client, LCD, small or mid- range thermal printer & scanner	
Swappable Lithium Iron Phosphate	Sealed Lead Acid		Fixed Lithium Iron Phosphate
120	450	450	450
300	900	900	900
230	480	1200	960
2.5	4	9	7.5
50-104°	32-95°		50-95°
65.5 lbs (30 kg)	110 lbs. (50 kg)	136 lbs. (62 kg)	90 lbs. (41 kg)

20" long x 21.75" wide x 43" high (508 x 552 x 1092 mm)





